

Emerging trends in modelling integrated urban water systems



CRC for
Water Sensitive Cities



An Australian Government Initiative



Integrated Urban Water Management

by managing the urban water cycle as a whole; a more efficient use of resources can be achieved providing not only economic benefits but also improved social and environmental outcomes

Wikipedia



CRC for
Water Sensitive Cities

Water Management in Cities of the Future

- A vision for water sensitive cities

Water sensitive cities are resilient, liveable, productive and sustainable.

They: efficiently use the diversity of water resources available within towns and cities; enhance and protect the health of urban waterways and wetlands; and mitigate against flood risk and damage.

They also create public spaces that harvest, clean and recycle water, increase biodiversity and reduce urban heat island effects.



An aerial photograph of a city, likely Brisbane, Australia, showing a dense urban area with numerous high-rise buildings and a large river (the Brisbane River) flowing through it. A boat is visible on the river in the foreground. The city is surrounded by green spaces and hills in the background.

National Urban Water Policies for Cities of the Future

The transformation of urban water systems from a focus on water supply and wastewater disposal (the ‘taps and toilets’ water utilities) to more complex, flexible systems that:-

- ✦ integrate various sources of water;
- ✦ operate through a combination of centralised and decentralised systems;
- ✦ deliver a wider range of services to communities (e.g. ecosystem services, urban heat mitigation); and
- ✦ integrate into urban design.

Emerging trends in

Integrated Urban Water Management

our ability to incorporate the socio-technical interplay of urban water systems will determine the significance of our traditional modelling capabilities in influencing the transformation of cities into resilient, liveable and sustainable places

more efficient use of resources can be achieved providing not only economic benefits but also improved social and environmental outcomes

Wikipedia



Multiple drivers, Multiple criteria & Multiple scenarios


- ❑ The emergence of new performance indices
- ❑ Simulating the influence of socio-technical dynamics
- ❑ Capturing uncertainties
- ❑ Revisiting the concept of optimisation




Multiple drivers, Multiple criteria & Multiple scenarios

- The emergence of new performance indices

- Simulating the influence of non-technical dynamics during uncertainties in the concept of urbanisation






C.F. Fratini, G.D. Geldof, J. Kluck and P.S. Mikkelsen (2012): Three Points Approach (3PA) for urban flood risk management: A tool to support climate change adaptation through transdisciplinarity and multifunctionality. *Urban Water Journal*. Open Access. DOI:10.1080/1573062X.2012.668913

Australian Practice


1987



Institution of Engineers Australia (1987), Australian Rainfall and Runoff: A guide to flood estimation, D H Pilgrim (ed).

Australian Practice

2006




Victorian Stormwater Committee (2006), Urban Stormwater Best Practice Environmental Management Guidelines, CSIRO Publishing, ISBN 0 643 06453 2, 320p, May 2006.




Australian Practice


2008



Multiple Hydrologic and Hydraulic Design Objectives for Drainage Infrastructure




Multiple drivers, Multiple criteria & Multiple scenarios



- The emergence of new performance indices
- Simulating the influence of socio-technical dynamics
- Capturing uncertainties
- Revisiting the concept of optimisation



Multiple drivers, Multiple criteria & Multiple scenarios



- The emergence of new performance indices
- Simulating the influence of socio-technical dynamics
- Capturing uncertainties
- Revisiting the concept of optimisation



Linking Urban Water Management and Urban Liveability



Science-Policy Partnership
for Water Sensitive Cities

Liveability and the Water Sensitive City

Phillip Johnstone, Rachelle Adamowicz, Fjalar J. de Haan,
Briony Ferguson and Tony Wong

Monash Water for Liveability & Victorian Government Department of
Sustainability and Environment

August 2012

Johnstone, P., Adamowicz, R., de Haan, F., Ferguson, B. and
Wong, T. (2012), *Liveability and the Water Sensitive City*,
Monash University, ISBN 978-1-921912-12-2, July 2012



Figure 5: Linking Urban Water Management to Urban Liveability¹²



Linking Urban Water Management and Urban Liveability

Wong, T., Allen, R., Brown, R., Deletic, A., Griggs, D., Hodyl, L., McIlrath, B., Montebello, T., Smith, L. (2011), Transitioning to a resilient, liveable and sustainable greater Melbourne (localised case studies), report prepared for the Living Victoria Ministerial Advisory Council, March 2011

© CRC for Water Sensitive Cities 2012



CRC for
Water Sensitive Cities

Effective Drainage & Flood Mitigation

- ❑ Future cities would incorporate into its **urban planning and design of appropriate land uses in accordance to the three-tiered approach of retreat, adapt and defend** against future flood vulnerability.
- ❑ A water sensitive city would establish **a network of blue and green open spaces and corridors to serve as an integral element of the city's drainage infrastructure** and floodway for flood conveyance during rare (low probability) storm occurrences.



Urban design strategy

- ❑ Parklands, green waterways, structures and buildings are ‘**green infrastructure**’ that emphasise the important role that vegetation (and therefore water and irrigation) plays in urban environments.
- ❑ Access to alternative **fit-for-purpose water sources provides an additional and abundant source of water to allow the greening of cities.**



The quality of public spaces

- ❑ Urban water systems designed in urban environments to **incorporate means of enhancing social engagement and cultural expression**
- ❑ Public spaces to include the **celebration of water** in urban environments with art features that respond to water availability and seasonality, and the establishment of biodiversity terrestrial and aquatic corridors.



Mitigating urban heat

- ❑ **Climate responsive designs** will have a positive effect on human health. Urban heat mitigating design responses should place particular emphasis on the strategic implementation of WSUD technologies and green infrastructure.
- ❑ Green infrastructure supported by such **design principles of keeping water in the landscapes and promoting lush and well-irrigated vegetation** can provide microclimate benefits by reducing excess urban heating (through shading, and cooling by evapotranspiration) and limit human exposure to extreme heat.



Multiple drivers, Multiple criteria & Multiple scenarios

- The emergence of new performance indices
- Simulating the influence of socio-technical dynamics
- Capturing uncertainties


Stormwater runoff is generated across distributed areas and therefore presents the best opportunity for green infrastructure be distributed throughout the urban area for effective realisation of multiple benefit outcomes



Multiple drivers, Multiple criteria & Multiple scenarios

ReVISIONS


Regional Visions of Integrated Sustainable Infrastructure Optimised for Neighbourhoods



- The emergence of new performance indices
- Simulating the influence of socio-technical dynamics

DAnCE4Water

Dynamic Adaptation for enabling City Evolution for Water




Multiple drivers, Multiple criteria & Multiple scenarios

THERE ARE KNOWN KNOWNNS
THERE ARE THINGS THAT WE KNOW THAT WE KNOW, THERE ARE
KNOWN UNKNOWNNS
THAT IS TO SAY, THERE ARE
THINGS THAT WE NOW KNOW WE DON'T KNOW
BUT THERE ARE ALSO
UNKNOWN UNKNOWNNS
THERE ARE THINGS
WE DO NOT KNOW
WE DON'T KNOW
AND EACH YEAR WE DISCOVER
A FEW MORE OF THOSE
UNKNOWN
UNKNOWNNS


Tim Curtis 2011

- The emergence of new performance indices
- Simulating the influence of socio-technical dynamics
- Capturing uncertainties
- Revisiting the concept of optimisation



Multiple drivers, Multiple criteria & Multiple scenarios

- The emergence of new performance indices
- Simulating the influence of socio-technical dynamics
- Capturing uncertainties
- Revisiting the concept of optimisation




conclusions

Integrated urban water management

- ❑ the emergence of hybrid centralised/decentralised infrastructure and green infrastructure
- ❑ water management for multiple benefits that include enhancing urban liveability
- ❑ solutions are distributed throughout the urban area for effective realisation of multiple benefit outcomes
- ❑ strategies need to be adaptive to the socio-technical dynamics of urban growth, expanding integration and changing priorities of management objectives



conclusions



our ability to incorporate the socio-technical interplay of urban water systems will determine the significance of our traditional modelling capabilities in influencing the transformation of cities into resilient, liveable and sustainable places

