

Laboratorijska vežba 4: Dijagram specifične energije

$B = 12 \text{ cm}$
 $a = 15.5 \text{ cm}$
 $b = 31.4 \text{ cm}$
 $h_T = 45.95 \text{ cm}$
 $h_T^0 = 37.32 \text{ cm}$
 $Q = 3.03 \text{ dm}^3/\text{s}$

		MERENO		RAČUNATO					
		nivo*	dno*	h	$\frac{v^2}{2g}$	kota dna	kota nivoa	kota energije	specifična energija
		cm	cm	cm	cm	cm	cm	cm	cm
PRESEK	1	-29.85	-39.20	9.35	0.371	0.80	10.15	10.521	9.721
	2	-29.90	-38.99	9.09	0.393	1.01	10.10	10.493	9.483
	3	-30.22	-37.08	6.86	0.690	2.92	9.78	10.470	7.550
	4	-31.00	-35.24	4.24	1.806	4.76	9.00	10.806	6.046
	5	-33.14	-36.33	3.19	3.190	3.67	6.86	10.050	6.380
	6	-34.67	-37.35	2.68	4.520	2.65	5.33	9.850	7.200
	7	-35.78	-38.30	2.52	5.112	1.70	4.22	9.332	7.632
	8	-36.97	-39.31	2.34	5.929	0.69	3.03	8.959	8.269

